



## ZIMBABWE ELECTRICITY TRANSMISSION & DISTRIBUTION COMPANY

HEAD OFFICE  
ELECTRICITY CENTRE,  
25 SAMORA MACHEL AVENUE,  
HARARE  
P.O. BOX 377, HARARE  
TELEPHONE: 774491/9, 774508/35  
FAX: 774542/3, 758356

OUR REF: .....FN/pt.....

YOUR REF: .....

WHEN CALLING WITH REFERENCE  
TO THIS LETTER PLEASE ASK FOR

.....F. Nyamakambo.....

09 January 2024

To All Bidders

.....  
.....  
.....

**RE: ADDENDUM NUMBER 1 TO TENDER ZETDC/INTER/12/2023: SUPPLY AND DELIVERY OF OPERATIONAL MOTOR VEHICLES.**

### Query No. 1

Kindly note if the Engine Displacement on the Technical Specification for Hilux 4x4 SC 2.4 is correct or wrong. The engine displacement and engine number don't tally.

### Response No. 1


Please find attached Addendum No 1 to Tender ZETDC/INTER/12/2023 for Supply and Delivery of Operational Motor Vehicles.

Kindly note **Lot A Technical Specifications** on Standard Bidding Document (SBD) has been replaced by the attached Addendum No 1.

Yours faithfully

**F. NYAMAKAMBO**  
**SUPPLY CHAIN MANAGER**

**ZIMBABWE ELECTRICITY TRANSMISSION & DISTRIBUTION  
COMPANY**



**ADDENDUM NO. 1 TO TENDER NO. ZETDC/INTER/12/2023  
FOR SUPPLY AND DELIVERY OF OPERATIONAL MOTOR VEHICLES**

LOT A: Technical Specifications for Hilux 4x4 SC 2.4

Particulars	Unit	Requirement	Bidder's Offer
Model Code	each	4 x 4 GD6 2.4	
Engine Type	each	4 cyl 16 valve DOHC VN Turbo Intercooler	
Body Type		Single Cab Pick-up	
Number of Cylinders & Arrangement		4-Cylinder, In-line, 16 Valve, DOHC	
Fuel System		Direct Injection Common-rail	
Engine displacement	cm <sup>3</sup>	2393	
Engine Capacity	litre	2.4	
Maximum Power	kW @ r/min	110 / 3400	
Maximum Torque	Nm @ r/min	400 / 1600 - 2000	
Vehicle Stability Control (VSC)	system	Yes	
Upholstery		Optional	
Seats		Standard	
Seat Belt Warning		Driver and Passenger	
Braking System		Anti-Lock Braking System (ABS)/Electronic Brake Force Distribution (EBD)	
Windows		Auto Up & Down with Jam Protection (Driver)	
Air Condition		Automatic Type	
Wheel & Tyre	inches	Steel 17 & 265/65R17	
Transmission		6 speed manual	
Steering System		Rack & Pinion with Power Steering	
<b>Suspension:</b> Front		Independent Front Suspension, Double Wishbone with Coil Springs.	
Rear		Leaf Spring/ Rigid Axle	
<b>Brakes:</b> Front		Disc Brake / Ventilated Disc	
Rear		Leading Trailing Drum Brake	
Fuel Tank Size	Litres	80	
Audio System	inches	Original Manufacturer	

<b>Dimensions:</b> Length, Width & Height	mm	Minimum 5325 x 1800 x 1795
Wheelbase	mm	3085
Minimum Ground Clearance	mm	217

Name of Tenderer \_\_\_\_\_

Name and Capacity of Authorized person signing the

Tender \_\_\_\_\_

Signature of Authorized person signing the Tender \_\_\_\_\_

Stamp of Tenderer \_\_\_\_\_

